



THE SPOTT

Certificate of Analysis



http://www.mispott.com

Grow Pros

Allegan, MI 49010
rick@growproswm.com
(616) 727-0100

Sample: 1904SPT0377.1245

Strain: Healing RSO
Instrument: UPLC; Sample Weight: 6.72 g including syringe
Sample Received: 04/04/2019; Report Created: 04/10/2019; Expires: 05/10/2019

Healing RSO

Ingestible, Tincture
METRC Manifest: ; METRC Sample:



Visual Contaminants		
Mold:	No	x
Pests:	No	x
Other:	No	x

Cannabinoids

% Activation THC: 100.000%
% Activation CBD: ND

Major Cannabinoids	LOQ	Mass	Mass
	%	%	mg/g
Δ9-THC	0.002	9.140	91.40
THCa	0.002	ND	ND
CBD	0.002	ND	ND
CBDa	0.002	ND	ND
CBN	0.002	ND	ND
Minor Cannabinoids			
CBC	0.002	0.285	2.85
CBG	0.002	0.493	4.93
CBL	0.002	ND	ND
CBDVa	0.002	ND	ND
Δ8-THC	0.002	ND	ND
CBGa	0.002	ND	ND
THCV	0.002	0.207	2.07
CBDV	0.002	ND	ND
Total		10.125	101.250
Total THC		9.140	91.400
Total CBD		<LOQ	<LOQ
TPAC		10.125	101.250

All results generated on sample as received. * Total - represents the total concentration of cannabinoids. *TPAC - represents the cannabinoid concentration when product is fully cooked or burned prior to consumption.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; Unless otherwise stated all quality control samples are performed within specifications established by the Laboratory.



The Spott
550 E. Cork Street
Kalamazoo, MI
(269) 459-6462
http://www.mispott.com

Biologist Approval
Chemist Approval
Lab Manager Approval

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by The Spott using validated testing methodologies and a quality system as required by state law. All measurements are traceable to NIST or other National Metrology Institutes. Values reported relate only to the product tested. The Spott makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of The Spott.



THE SPOTT

Certificate of Analysis



http://www.mispott.com

Grow Pros

Sample: 1904SPT0377.1245

Allegan, MI 49010
rick@growproswm.com
(616) 727-0100

Strain: Healing RSO
Instrument: GC-MS; Sample Weight: 6.72 g including syringe
Sample Received: 04/04/2019; Report Created: 04/10/2019; Expires: 05/10/2019

Healing RSO

Ingestible, Tincture
METRC Manifest: ; METRC Sample:

Comment:



Visual Contaminants		
Mold:	No	✘
Pests:	No	✘
Other:	No	✘

Residual Solvents

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	PPM		PPM	PPM	PPM	PPM
1,2-Dichloro-Ethane	2.000	5.000	ND	Pass	Heptanes	100.000	5000.000	ND	Pass
Acetone	100.000	5000.000	<LOQ	Pass	Hexanes	40.000	290.000	ND	Pass
Acetonitrile	40.000	410.000	ND	Pass	Isopropanol	100.000	5000.000	ND	Pass
Benzene	1.000	2.000	ND	Pass	Methanol	100.000	3000.000	ND	Pass
Butanes	100.000	5000.000	ND	Pass	Methylene-Chloride	100.000	600.000	ND	Pass
Chloroform	2.000	60.000	ND	Pass	Pentanes	100.000	5000.000	ND	Pass
Ethanol	100.000	5000.000	680.780	Pass	Propane	100.000	5000.000	ND	Pass
Ethyl-Acetate	100.000	5000.000	<LOQ	Pass	Toluene	100.000	890.000	ND	Pass
Ethyl-Ether	100.000	5000.000	ND	Pass	Trichloroethylene	10.000	80.000	ND	Pass
Ethylene Oxide	5.000	50.000	ND	Pass	Xylenes	100.000	2170.000	ND	Pass

All results generated on sample as received. LOQ = Limit of Quantitation; ULOQ = Upper Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



The Spott
550 E. Cork Street
Kalamazoo, MI
(269) 459-6462
http://www.mispott.com

Biologist Approval
Chemist Approval
Lab Manager Approval

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by The Spott using validated testing methodologies and a quality system as required by state law. All measurements are traceable to NIST or other National Metrology Institutes. Values reported relate only to the product tested. The Spott makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of The Spott.